

L4 S89'47'42"W 150.03

> MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR NO. 035-002683 - STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475 - STATE OF ILLINOIS

 $\mathcal{L}\omega\mathcal{N}$

NOTES:

- THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
- REFERENCE IS MADE TO THE DESCRIPTION DATE ACCOMPANYING OF FVFN THIS SKETCH.

SHEET 02 OF 03

MV

C.R.C.C.I.	COURT RECORDS
	CHRISTIAN COUNTY, ILLINOIS
D.R.C.C.I.	DEED RECORDS
D.R.C.C.I.	
	CHRISTIAN COUNTY, ILLINOIS
P.O.B.	POINT OF BEGINNING
P.O.R.	POINT OF REFERENCE
	1/2" IRON ROD FOUND
~	,
Δ	CALCULATED POINT
2 1	
	TYPICAL SECTION CORNER
11 12	
	TRACT LINE
	SECTION LINE
	SUBJECT PROPERTY LINE
	**-*-*
	PROPERTY LINE
	PROPOSED EASEMENT CENTERLINE
	PROPOSED EASEMENT
	I NOI OSED EASEMENT



TRANSMISSION



Ph: (214) 631-7888 Fax: (214) 631-7103 EMAIL: SAM@SAM.BIZ

150' TRANSMISSION LINE EASEMENT

PAWNEE TO PANA SECTION 12, TOWNSHIP 12 NORTH, RANGE 3 WEST OF THE 3RD PRINCIPAL MERIDIAN CHRISTIAN COUNTY, ILLINOIS

PROJECT: ILLINOIS RIVERS

DATE: 06/18/2015


TRACT ID: ILRP PP CH 049

SCALE: 1" = 500'

JOB NUMBER: 32359

DRAWN BY: JC

LEGEND



LEGEND

11 12

C.R.C.C.I. COURT RECORDS

CHRISTIAN COUNTY, ILLINOIS

D.R.C.C.I. DEED RECORDS

CHRISTIAN COUNTY, ILLINOIS

P.O.B. POINT OF BEGINNING P.O.R. POINT OF REFERENCE

1/2" IRON ROD FOUND

△ CALCULATED POINT

TYPICAL SECTION CORNER


TRACT LINE SECTION LINE


SUBJECT PROPERTY LINE

PROPERTY LINE

PROPOSED EASEMENT CENTERLINE

PROPOSED EASEMENT





MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR NO. 035-002683 - STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475 - STATE OF ILLINOIS

NOTES:

- THIS EXHIBIT DOES NOT REFLECT ANY UNDERGROUND UTILITIES, EASEMENT OF RECORD OR OTHER ENCUMBRANCES THAT MAY AFFECT THE SUBJECT TRACT.
- P. REFERENCE IS MADE TO THE DESCRIPTION
 OF EVEN DATE ACCOMPANYING THIS
 SKETCH.

SHEET 03 OF 03

PROJECT: ILLINOIS RIVERS	
JOB NUMBER: 32359	
DATE: 06/18/2015	
SCALE: 1" = 500'	
TRACT ID: ILRP_PP_CH_049	
DRAWN BY: IC	_





826 Cheshire Court #1, Freeport, IL 61032 Ph: (214) 631-7888 Fax: (214) 631-7103 EMAIL: SAM@SAM.BIZ

150' TRANSMISSION LINE EASEMENT

PAWNEE TO PANA

SECTION 12, TOWNSHIP 12 NORTH, RANGE 3 WEST OF THE 3RD PRINCIPAL MERIDIAN CHRISTIAN COUNTY, ILLINOIS AMEREN TRANSMISSION ILLINOIS RIVERS PROJECT PAWNEE TO PANA 345 KV TRANSMISSION LINE
 Docket 16-0274
 A_ILRP_PP_CH_075_R7

 Appendix B
 SAM Job No. 32359

 Page 13 of 168
 Page 1 of 3

EXHIBIT "A"

AN 8.614 ACRE TRACT OF LAND SITUATED IN THE SOUTHEAST 1/4 OF THE NORTHEAST 1/4 AND THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 26 AND THE SOUTHWEST 1/4 OF THE NORTHWEST 1/4 AND THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 25, TOWNSHIP 12 NORTH, RANGE 2 WEST OF THE 3RD PRINCIPAL MERIDIAN, CHRISTIAN COUNTY, ILLINOIS AND BEING PART OF THOSE TRACTS OF LAND DESCRIBED AS PARCELS 1 AND 5 IN DEED TO SISBRO INVESTMENT GROUP LLC, RECORDED IN DOCUMENT NO. 2008R01220 OF THE DEED RECORDS OF CHRISTIAN COUNTY, ILLINOIS (D.R.C.C.I.) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE EAST LINE OF SAID NORTHWEST 1/4 OF THE SOUTHWEST 1/4, FROM WHICH A 1-1/2-INCH BAR WITH A HEX COLLAR FOUND AT THE SOUTHWEST CORNER OF SAID SECTION 25 BEARS SOUTH 26 DEGREES 18 MINUTES 44 SECONDS WEST, A DISTANCE OF 2,903.26 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1017705.66, E:2551369.45;

THENCE SOUTH 89 DEGREES 28 MINUTES 00 SECONDS WEST, LEAVING SAID EAST LINE, A DISTANCE OF 2,663.53 FEET TO A POINT FOR CORNER;

THENCE SOUTH 83 DEGREES 00 MINUTES 35 SECONDS WEST, A DISTANCE OF 3.74 FEET TO A POINT FOR CORNER IN THE WEST LINE OF SAID NORTHEAST 1/4 OF THE SOUTHEAST 1/4;

THENCE NORTH 00 DEGREES 55 MINUTES 13 SECONDS WEST, ALONG SAID WEST LINE, A DISTANCE OF 68.69 FEET TO THE NORTHWEST CORNER OF SAID NORTHEAST 1/4 OF THE SOUTHEAST 1/4;

THENCE NORTH 00 DEGREES 55 MINUTES 36 SECONDS WEST, ALONG THE WEST LINE OF SAID SOUTHEAST 1/4 OF THE NORTHEAST 1/4, A DISTANCE OF 81.73 FEET TO A POINT FOR CORNER, FROM WHICH A 3/8-INCH IRON ROD FOUND AT THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SAID NORTHEAST 1/4 OF SECTION 26 BEARS NORTH 00 DEGREES 55 MINUTES 36 SECONDS WEST, A DISTANCE OF 2,567.30 FEET;

THENCE NORTH 89 DEGREES 28 MINUTES 00 SECONDS EAST, LEAVING THE WEST LINE OF SAID SOUTHEAST 1/4 OF THE NORTHEAST 1/4, A DISTANCE OF 2,382.47 FEET TO A POINT FOR CORNER IN THE COMMON LINE OF SAID PARCEL 5 AND A TRACT OF LAND DESCRIBED IN DEED TO RICK J. EVRLEY AND LORI EVRLEY, HUSBAND AND WIFE, RECORDED IN DOCUMENT NO. 1994R4614. D.R.C.C.I.:

THENCE SOUTH 00 DEGREES 50 MINUTES 17 SECONDS EAST, ALONG SAID COMMON LINE, A DISTANCE OF 87.24 FEET TO A POINT FOR CORNER IN THE NORTH LINE OF SAID NORTHWEST 1/4 OF THE SOUTHWEST 1/4 AT A COMMON CORNER OF SAID PARCEL 5 AND SAID EVRLEY TRACT;

THENCE NORTH 89 DEGREES 29 MINUTES 06 SECONDS EAST, ALONG SAID NORTH LINE, A DISTANCE OF 285.01 FEET TO THE NORTHEAST CORNER OF SAID NORTHWEST 1/4 OF THE SOUTHWEST 1/4;

AMEREN TRANSMISSION ILLINOIS RIVERS PROJECT PAWNEE TO PANA 345 KV TRANSMISSION LINE
 Docket 16-0274
 A_ILRP_PP_CH_075_R7

 Appendix B
 SAM Job No. 32359

 Page 14 of 168
 Page 2 of 3

EXHIBIT "A"


THENCE SOUTH 00 DEGREES 50 MINUTES 17 SECONDS EAST, ALONG THE EAST LINE OF SAID NORTHWEST 1/4 OF THE SOUTHWEST 1/4, A DISTANCE OF 62.67 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 375,229 SQUARE FEET OR 8.614 ACRES OF LAND, MORE OR LESS.


BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683

STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475

DATE: 10/14/2015





FN: D 2590 A_ILRP_PP_CH_075_R7.DWG

Appendix B Page 16 of 168

A_ILRP_PP_CH_099 SAM Job No. 32359 Page 1 of 2

EXHIBIT "A"

A 2.284 ACRE TRACT OF LAND SITUATED IN THE WEST 1/2 OF THE NORTHEAST 1/4 OF SECTION 29, TOWNSHIP 12 NORTH, RANGE 1 WEST OF THE 3RD PRINCIPAL MERIDIAN, CHRISTIAN COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED AS PARCEL 1 IN DEED TO JAJ LIMITED PARTNERSHIP AND BASS VENTURES, LLC, RECORDED IN DOCUMENT NO. 2010R05264 OF THE DEED RECORDS OF CHRISTIAN COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE WEST LINE OF SAID WEST 1/2, FROM WHICH A POST FOUND AT THE NORTHWEST CORNER OF SAID WEST 1/2 BEARS NORTH 00 DEGREES 33 MINUTES 40 SECONDS WEST, A DISTANCE OF 2,595.77 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1018012.84, E:2562998.56;

THENCE NORTH 89 DEGREES 09 MINUTES 25 SECONDS EAST, LEAVING SAID WEST LINE, A DISTANCE OF 1,326.56 FEET TO A POINT FOR CORNER IN THE EAST LINE OF SAID WEST 1/2, FROM WHICH A 5/8-INCH IRON ROD FOUND AT THE NORTHEAST CORNER OF SAID NORTHEAST 1/4 BEARS NORTH 26 DEGREES 32 MINUTES 18 SECONDS EAST, A DISTANCE OF 2,917.57 FEET;

THENCE SOUTH 00 DEGREES 32 MINUTES 00 SECONDS EAST, ALONG SAID EAST LINE, A DISTANCE OF 75.00 FEET TO THE SOUTHEAST CORNER OF SAID WEST 1/2;


THENCE SOUTH 89 DEGREES 09 MINUTES 25 SECONDS WEST, ALONG THE SOUTH LINE OF SAID WEST 1/2, A DISTANCE OF 1,326.52 FEET TO THE SOUTHWEST CORNER OF SAID WEST 1/2;


THENCE NORTH 00 DEGREES 33 MINUTES 40 SECONDS WEST, ALONG THE WEST LINE OF SAID WEST 1/2, A DISTANCE OF 75.00 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 99,491 SQUARE FEET OR 2.284 ACRES OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), WEST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683 STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475

DATE: 02/12/2015





FN: D_2601 A_ILRP_PP_CH_099.DWG

Appendix B Page 18 of 168

ILRP_STPL_ED_005 SAM Job No. 32359 Page 1 of 2

EXHIBIT "A"

A 5.753 ACRE TRACT OF LAND SITUATED IN THE NORTH 1/2 OF THE SOUTHEAST 1/4 OF SECTION 27 AND THE NORTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 26, TOWNSHIP 13 NORTH, RANGE 14 WEST OF THE 2ND PRINCIPAL MERIDIAN, EDGAR COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED AS TRACT I IN DEED TO RICHARD A. BENNETT, TRUSTEE OF THE RICHARD A. BENNETT REVOCABLE TRUST, RECORDED IN DOCUMENT NO. 201300002835 OF THE DEED RECORDS OF EDGAR COUNTY, ILLINOIS (D.R.E.C.I.) AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE COMMON LINE OF SAID BENNETT TRACT AND A TRACT OF LAND DESCRIBED AS TRACT I:TRACT 1C IN DEED TO LENNA MARIE DOWNING, TRUSTEE OF THE LENNA MARIE DOWNING TRUST, RECORDED IN DOCUMENT NO. 98-0003798, D.R.E.C.I. AND DESCRIBED AS TRACT III IN DEEDS TO LENNA MARIE DOWNING, TRUSTEE OF THE LENNA MARIE DOWNING TRUST, RECORDED IN DOCUMENT NO. 03-0003455 AND DOCUMENT NO. 201300001600, D.R.E.C.I., FROM WHICH A 5/8-INCH IRON ROD WITH AN ORANGE CAP STAMPED "KNIGHT SURVEY" FOUND AT THE SOUTHEAST CORNER OF SAID SOUTHEAST 1/4 BEARS SOUTH 16 DEGREES 50 MINUTES 02 SECONDS EAST, A DISTANCE OF 1,753.19 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1048211.41, E:1093607.90;

THENCE NORTH 28 DEGREES 46 MINUTES 49 SECONDS EAST, ALONG SAID COMMON LINE, A DISTANCE OF 559.72 FEET TO A POINT FOR CORNER;

THENCE NORTH 89 DEGREES 06 MINUTES 21 SECONDS EAST, LEAVING SAID COMMON LINE, A DISTANCE OF 1,497.52 FEET TO A POINT FOR CORNER IN THE EAST LINE OF SAID NORTHWEST 1/4;

THENCE SOUTH 01 DEGREES 57 MINUTES 01 SECONDS EAST, ALONG SAID EAST LINE, A DISTANCE OF 150.03 FEET TO A POINT FOR CORNER, FROM WHICH A RAILROAD SPIKE FOUND AT THE SOUTHEAST CORNER OF SAID NORTHWEST 1/4 BEARS SOUTH 01 DEGREES 57 MINUTES 01 SECONDS EAST, A DISTANCE OF 702.76 FEET;

THENCE SOUTH 89 DEGREES 06 MINUTES 21 SECONDS WEST, LEAVING SAID EAST LINE, A DISTANCE OF 1,528.21 FEET TO A POINT FOR CORNER;


THENCE SOUTH 28 DEGREES 46 MINUTES 49 SECONDS WEST, A DISTANCE OF 386.97 FEET TO A POINT FOR CORNER;


THENCE SOUTH 89 DEGREES 01 MINUTES 00 SECONDS WEST, A DISTANCE OF 57.60 FEET TO THE **POINT OF BEGINNING** AND CONTAINING 250,597 SQUARE FEET OR 5.753 ACRES OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, NAD 83(2011), EAST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683 STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475

DATE: 07/28/2015





ILRP_STPL_ED_005.DWG FN: D 1922

Docket 16-0274 Appendix B Page 20 of 168

ILRP STPL ED 011 SAM Job No. 32359 Page 1 of 3

EXHIBIT "A"

A 14.184 ACRE TRACT OF LAND SITUATED IN THE SOUTH 1/2 OF THE NORTHWEST 1/4 AND THE SOUTHWEST 1/4 OF SECTION 25 AND THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 26, TOWNSHIP 13 NORTH, RANGE 14 WEST OF THE 2ND PRINCIPAL MERIDIAN, EDGAR COUNTY, ILLINOIS AND BEING PART OF A TRACT OF LAND DESCRIBED IN DEED TO DOROTHY BABER, TRUSTEE OF THE DOROTHY BABER 2004 GRANTOR TRUST, RECORDED IN DOCUMENT NO. 04-0003705 OF THE DEED RECORDS OF EDGAR COUNTY, ILLINOIS AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT IN THE EAST LINE OF SAID SOUTHWEST 1/4, FROM WHICH A 1-INCH IRON PIPE FOUND AT THE NORTHEAST CORNER OF SAID SOUTHWEST 1/4 BEARS NORTH 01 DEGREES 30 MINUTES 01 SECONDS WEST, A DISTANCE OF 198.23 FEET, SAID POINT OF BEGINNING HAVING GRID COORDINATES OF N:1049110.30. E:1102063.84;

THENCE SOUTH 01 DEGREES 30 MINUTES 01 SECONDS EAST, ALONG SAID EAST LINE, A DISTANCE OF 150.00 FEET TO A POINT FOR CORNER:

THENCE SOUTH 88 DEGREES 09 MINUTES 19 SECONDS WEST, LEAVING SAID EAST LINE, A DISTANCE OF 1,323.98 FEET TO A POINT FOR CORNER:

THENCE NORTH 70 DEGREES 13 MINUTES 59 SECONDS WEST, A DISTANCE OF 663.44 FEET TO A POINT FOR CORNER;

THENCE SOUTH 75 DEGREES 50 MINUTES 49 SECONDS WEST, A DISTANCE OF 2,130.49 FEET TO A POINT FOR CORNER IN THE WEST LINE OF SAID NORTHEAST 1/4, FROM WHICH A 5/8-INCH IRON ROD WITH A RED CAP STAMPED "RICHARD KNIGHT PLS 2845" FOUND AT THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF THE SOUTHEAST 1/4 OF SAID SECTION 26 BEARS SOUTH 61 DEGREES 12 MINUTES 01 SECONDS WEST, A DISTANCE OF 1,499.63 FEET;

THENCE NORTH 01 DEGREES 43 MINUTES 58 SECONDS WEST, ALONG SAID WEST LINE, A DISTANCE OF 153.59 FEET TO A POINT FOR CORNER;

THENCE NORTH 75 DEGREES 50 MINUTES 49 SECONDS EAST, LEAVING SAID WEST LINE, A DISTANCE OF 2.143.20 FEET TO A POINT FOR CORNER:

THENCE SOUTH 70 DEGREES 13 MINUTES 59 SECONDS EAST, A DISTANCE OF 680.55 FEET TO A POINT FOR CORNER;

THENCE NORTH 88 DEGREES 09 MINUTES 19 SECONDS EAST, A DISTANCE OF 1,296.25 FEET TO THE POINT OF BEGINNING AND CONTAINING 617,844 SQUARE FEET OR 14.184 ACRES OF LAND, MORE OR LESS.

BEARING BASIS: ALL BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON THE ILLINOIS STATE PLANE COORDINATE SYSTEM, MICHAEL W.
GERBERICK
035-002683
FREEPORT, ILLINOIS MINISTONAL LAND NAD 83(2011). EAST ZONE. ALL DISTANCES SHOWN HEREON ARE SURFACE DISTANCES.

MICHAEL W. GERBERICK PROFESSIONAL LAND SURVEYOR REGISTRATION NO. 035-002683 STATE OF ILLINOIS PROFESSIONAL DESIGN FIRM LICENSE NO. 184.006475

DATE: 07/28/2015